		K
	Application No.	Applicant(s)
	10/717,955	VU, HA C.
Notice of Allowability	Examiner	Art Unit
	Hai L. Nguyen	2816
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this or other appropriate communica IGHTS. This application is subjection	application. If not included tion will be mailed in due course. THIS
1. This communication is responsive to 7/15/04.		
2. X The allowed claim(s) is/are 1-4,6-15 and 17-20.		
3. \boxtimes The drawings filed on <u>20 November 2003</u> are accepted by	the Examiner.	
 4. ☐ Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 	- ,,,,,,,	
2. Certified copies of the priority documents have	been received in Application No	
3. Copies of the certified copies of the priority do	• •	•
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a relIENT of this application.	ply complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
6. CORRECTED DRAWINGS (as "replacement sheets") mus	t be submitted.	
(a) I including changes required by the Notice of Draftspers	on's Patent Drawing Review (P	「O-948) attached
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		•
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in th	e Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the dra he header according to 37 CFR 1.1	wings in the front (not the back) of 21(d).
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT 	sit of BIOLOGICAL MATERIA FOR THE DEPOSIT OF BIOLOG	L must be submitted. Note the SICAL MATERIAL.
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informa	al Patent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summa	ary (PTO-413),
3. X Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail 8), 7. ☐ Examiner's Ame	
Paper No./Mail Date <u>03/1</u> 2/2004 4. ☐ Examiner's Comment Regarding Requirement for Deposit	0 M Evaminada Otata	mont of Doogona for Allerrane
		ement of Reasons for Allowance
of Biological Material	9. Other	16 1/1 /
	1/1/9/	CALLALIAN
		CALLAHAN AFENT EXAMINER
U.S. Patent and Trademark Office		CENTER 2800

Application/Control Number: 10/717,955

Art Unit: 2816

DETAILED ACTION

Response to Amendment

1. The amendment received on 07/15/04 has been reviewed and considered with the following results:

As to the objections to the specification, Applicant's amendments of the specification have overcome the objections, as such; the objections to the specification have been withdrawn.

As to the objections to the claims, Applicant's amendments have overcome the objections, as such; the objections have been withdrawn.

As to the rejections to claim 15, under 35 U.S.C. 112, 2nd paragraphs, Applicant's amendments have overcome the rejections, as such; the rejections have been withdrawn.

As to the prior art rejections to the claims, the prior art rejections of the claims made in the previous Office Action are now withdrawn in view of the examiner's amendment. Therefore the case is found to be in allowance condition for the reasons as set for below.

REASON FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance:

The prior art of record does not disclose or suggest a circuit (300 in instant Fig.3) for dividing periodic input pulses (clkin) by a preset integer M (PLLDIV), as recited in claim 5, comprising a dual modulus prescaler (310); a swallow counter (330); and specifically the limitation directed to a program counter (320) to generate a reset signal (counter_reset) in response to the prescaler receiving the Mth input pulse, and wherein the swallow counter changes the modulus control signal (DIV4) in response to the reset signal.

Art Unit: 2816

Claim 9 is allowed for similar reasons; note the above discussion with regard to claim 1.

The prior art of record does not disclose or suggest a method (as shown in Figs. 7-10), as recited in claim 16, a step of generating the prescaled pulses (924) includes initializing (810) a vector of state variables (D2D1D0: 111) when the prescaled pulse is generated (CK45=1), and updating (820) the vector during the next input pulse in a way that is indifferent to the updated modulus control signal (DIV4=XX).

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hai L. Nguyen whose telephone number is 571-272-1747 and Right Fax number is 571-273-1747. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Callahan can be reached on 571-272-1740. The official fax phone number for the organization where this application or proceeding is 703-872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 571-272-1562.